



coerco
agriculture

PRODUCT CATALOGUE

MAY 2022





coerco

Engineered Poly Products

About us

Coerco is an established and trusted Australian manufacturer and supplier of innovative polyethylene products essential for every type of liquid, storage and transportation. Delivering world-class products is the highest priority along with striving to improve lives by innovating in the agricultural industry and creating opportunities within the market.

With the best support network of key distributors, Coerco understands the specific issues faced by the farming community. Coerco's key distributors are in every major township across Western Australia.

As a leading liquid storage manufacturer and supplier in Australia with decades of experience and expertise to provide quality in every aspect of its products, Coerco has an outstanding range of equipment. Every aspect of the manufacturing process is closely monitored to the highest quality from water, liquid fertiliser and diesel storage to fire-fighting equipment and sewerage treatment.


Company History and Rural Roots

Coerco has been supplying Western Australia with a range of innovative polyethylene liquid storage solutions designed to meet the needs of agriculture for more than 29 years. The company was created by Coerco's Chief Executive Officer, Andrew Jackson in 1993 as Rapid Plastics and added a subsidiary in the industrial sector called Multi-Tech. In 2016 the company underwent a major rebranding and merged the two companies to form Coerco.

Coerco has always committed to supporting the rural community from its factory in Dalwallinu, which employs more than 100 staff and donates to multiple rural causes and charitable groups. By growing its company in a small country town, Coerco understands the issues facing rural WA.

CONTENTS

WATER TANKS	12
LIVESTOCK PRODUCTS	19
LIQUID FERTILISER STORAGE AND TRANSPORT TANKS	24
LIQUID TRANSPORTATION	27
FIRE FIGHTING EQUIPMENT	30
DIESEL STORAGE AND TRANSPORT PRODUCTS	34
SEPTIC SYSTEMS	40
GENERAL CONDITIONS AND DELIVERY INFORMATION	42



A large black corrugated metal water tank is the central focus on the left side of the image. The background shows a rural landscape with green grass and some yellow wildflowers under a bright, hazy sunset sky. The sun is low on the horizon, creating a warm, golden glow. The overall scene is peaceful and evokes a sense of rural life.

COERCO MEANS

Rural Knowledge Australian Made Customer Care

Coerco is renowned for providing quality products to the agricultural market in WA. Products that are easy to use, simple to install and long lasting. Coerco's simple ordering and delivery service, reliable warranties and after-sales service are second to none.

COERCO Rural Knowledge

Coerco's experienced sales team understands each local area and is equipped with rural knowledge to assist with livestock products, liquid management, fire fighting or septic system requirements.

COERCO Australian Made

Coerco's team has more than 150 years of combined industry experience with an expansive factory in Dalwallinu, modern offices in Malaga and fabrication centres in Bunbury and Northam, with products made to suit the harsh and changing Australian climate.

Continuous innovation ensures every poly product is designed for peak performance to meet the needs of farmers across Western Australia.

COERCO Customer Care

Dedicated and experienced staff monitor every aspect of each product order to ensure a seamless and trouble-free experience. Complete customer satisfaction is at the center of Coerco's business philosophy with the Coerco team maintaining regular and open communication throughout the purchasing process and for after-sales feedback.

Testimonials



Kevin Lansdell
Popanyinning WA

“

I would definitely recommend this Flexi N tank it's a good product, quick fill, quick emptying. I went for the extra three-inch inlet/outlet purely for the economy of scale because in ten years it will still be serving me with no worries.



Tim Barndon
Kulin, WA

“

We've got one of the compact firefighters on our ute for four seasons now. It's better for me when you need to get it out, we can grab the hose reel quite quickly or the motor or anything like that. I chose that one because of its simple design and robustness.



Murray McDonald
Kellerberrin, WA

“

We're farming wheat, sheep and other crops and we have a 50,000-litre tank, which I find is a great size for when I get an SP sprayer in to do crop spraying, just for the water size and the high volumes we are doing. Going through my local distributor is easy. I tell them what tank I want and in a short space of time it gets delivered exactly where you want.







Coerco Customer Care: Supporting Rural Farms and Towns

Coerco has a long-standing reputation of supporting Western Australia's rural businesses to enable them to remain strong and continue providing valued services to the local community.

With its factory based in Dalwallinu, Coerco understands the needs of the rural community first-hand. This steadfast approach to the farming community has been honed over almost three decades of supplying high quality products to farmers.

Convenient and reliable access to quality water storage products at a moment's notice is often crucial to a farmer's livelihood. Coerco is also committed to backing disadvantaged and charitable rural groups throughout Western Australia.



Knowledgeable and Flexible Logistics Team Keeps Coerco Products Moving



Distribution Network

A reliable supply of Coerco products available across the state

Coerco's large range of liquid storage solutions, agricultural products, septic systems and fire fighting units is readily accessible in convenient locations throughout rural regions of WA. The knowledgeable local staff provide expert guidance on the best type, size and colours to choose from as well as tips and advice on installation and maintenance. Coerco has held a strong relationship with its rural dealer network since the 1990s, which also helps to support local communities and businesses.



Logistics

A comprehensive logistics team keeps its fleet of trucks moving

Coerco has a large, specialized transport fleet with decades of experience and connections to proven transport networks. The fleet is part of an agile operation to coordinate deliveries to remote locations, when it suits our customers. Our transport and logistics team is experienced in the planning and delivery of products to remote locations. More than 10 permanent truck drivers are complemented by on call staff to provide a 24-hour, five-day-a-week transport service.



Warranty & After Sales Care

At Coerco, complete customer satisfaction is a critical driving force of the business philosophy, and this extends to warranty. Each product includes guaranteed manufacturer support for the period stated after purchase. This means the product is warranted against defects or faults caused by poor workmanship or inferior quality.



A Masterpiece is Created

Coerco creates its own virgin polymer material in-house which ensures total quality control from start to finish. All of Coerco's products are designed and developed under strict international quality controls to ensure they meet the highest standards of quality, are suitable for drinking water and are fully UV stabilised to withstand the harsh weather conditions in WA. The one-piece construction results in unbeatable structural stability and durability.



Into the Oven

Once each tank mould has its lid clamped on, it is then placed into large ovens. Once the cooking cycle is complete, the mould is removed from the oven and is set aside to allow the product to cool. This is when the molten polymer sets to the shape of the mould and solidifies.



A Tank is Born

During the cooling process, the poly product shrinks and pulls away from the interior surface of the mould. This allows the tanks and other products to be slid out of the moulds as one piece without seams that create cracking issues. The mould lids are removed and tanks are pulled or slid out before being placed in trimming and assembly areas for finishing off.



Finishing Touches

The tanks are cleaned and fitted with inlets, outlets and overflows during the final parts of the process. Small standard tanks are finished standing upright, while large standard tanks are finished on large rollers that spin the tanks. Tanks that require custom fabrication and other fittings are taken to Coerco's polyethylene fabrication workshops. Lastly, the tanks are placed into stock holding bays or loading bays before being delivered on site via a comprehensive in-house logistics team.





Meet the Team



Andrew



Justin



Adam



Warren



Micah



Bradyn



Craig



Ryan



Blake



Stacey



Denise



Rhianna




CONTENTS

WATER TANKS

Premium Corrugated Tanks	12
Premium Flatwalled Tanks	14
Slimline Tanks	15
Tank Fittings and Accessories	16
Water Tanks Colour Options	18

12



LIVESTOCK PRODUCTS

All Poly Stock Troughs
Steel Frame Longline Troughs
M Series Troughs
Ultra Tub Troughs
Cup and Saucer Tanks

19

LIQUID FERTILISER STORAGE & TRANSPORT TANKS

Liquid Fertiliser Storage Tanks	24
Free Standing Liquid Fertiliser Transport Tanks	25
Sump Based Liquid Fertiliser Transport Tanks	26

24



LIQUID TRANSPORTATION

Free Standing Liquid Transport Tanks	27
Sump Based Liquid Transport Tanks	28
Liquid Transport Accessories	29

27

FIRE FIGHTING EQUIPMENT

Skid Mount Fire Fighter Units	30
Compact Fire Fighhter Units	31
Trailed Fire Fighting Units	32
Hose Reels	33

30



DIESEL STORAGE AND TRANSPORT PRODUCTS

Diesel Storage Tanks	34
Trailed Diesel Transport Equipment	35
Free Standing Diesel Transport Products	36
Diesel Transport Units	37
Diesel Transfer Products	38
Self Contained Diesel Transport Tanks	39

34

SEPTIC SYSTEMS

Septic Tanks	40
Leach Drain Systems	41

40



GENERAL CONDITIONS AND DELIVERY INFORMATION

General Conditions	42
Delivery Information	43

42

Water Tanks

Premium Corrugated Tanks



Features

- One piece construction
- Attractive heritage design
- Corrugated for strength and traditional appearance
- UV stabilised to withstand our harsh climate
- Durable and impact resistant polyethylene for long life
- Manufactured in guidance with Australian Standards
- Self supporting lid design eliminates need for centre support pole
- Available in a range of colours, see colour chart on page 18

Premium Corrugated Tanks

Code	Capacity		Diameter (mm)	Inlet Height (mm)	Total Height (mm)	Retail Pricing (inc GST)
	Litres	Gallons				
RT1000	1000	220	1000	1495	1550	\$618.20
RT2500	2500	550	1400	1900	2050	\$926.20
RT2500S	2500	550	1850	1070	1250	\$926.20
RT3500	3500	770	1600	1980	2150	\$1,148.40
RT4500	4500	1000	1850	1950	2100	\$1,196.80
RT4500S	4500	1000	2420	1200	1350	\$1,309.00
RT9000	9000	2000	2420	2255	2430	\$2,007.50
RT9000S	9000	2000	2950	1560	1825	\$2,140.60
RT9500	9500	2100	2600	1915	2150	\$2,193.40
RT13500	13500	3000	2950	2075	2325	\$2,543.20
RT22500	22500	5000	3550	2550	2825	\$3,460.60
RT32000	32000	7050	3950	2740	3000	\$4,878.50

Water Tanks

Premium Corrugated Tanks



Standard Fittings



**90mm PVC
Mesh Overflow**



Ball Valve



Screw On Lid



**40mm Brass Outlet
(for tap)**



Strainer Basket

Optional Extra



40mm Brass Inlet



Please note that fittings can be customised to your requirement.

Water Tanks

Premium Flatwalled Tanks



Features

- One piece construction
- Sturdy, reliable and built to last
- UV stabilised to withstand our harsh climate
- Supplied with screw in lid, overflow, outlet and ball valve
- Manufactured in guidance with Australian Standards
- Self supporting lid eliminates need for centre support pole
- Available in all of our colour range, (see colour chart on page 18)

Premium Flat Walled Tanks

Code	Capacity Litres	Capacity Gallons	Diameter (mm)	Inlet Height (mm)	Total Height (mm)	Retail Pricing (inc GST)
JRR5300	5300	1200	1800	2275	2275	\$1,441.00
JRR10500	10500	2400	2450	2445	2450	\$2,696.10
JRR14000	14000	3100	2475	3080	3200	\$2,774.20
JRR25000	25000	5500	3825	2535	2555	\$3,670.70
JRR50000	50000	11100	4575	3285	3400	\$8,879.20

Standard Fittings



**90mm PVC
Mesh Overflow**



Ball Valve



Screw On Lid



**40mm Brass Outlet
for tap**



Strainer Basket

Optional Extra



40mm Brass Inlet



Please note that fittings can be customised to your requirement.

Water Tanks

Slimline Tanks



Features

- Attractive space saving design
- Ideal for under eave line or pathway placements
- Manufactured in guidance with Australian Standards
- Available in all of our colour range, (see colour chart on page 18)

Slimline Tanks

Code	Description	Dimensions (mm)	Inlet Height (mm)	Total Height (mm)	Retail Pricing (inc GST)
RTS800	800ltr Slimline Tank	1250 625	1450	1500	\$683.10
RTS1500	1,500ltr Slimline Tank	1325 875	1950	2000	\$897.60
RTS3000	3,000ltr Slimline Tank	2615 805	2050	2120	\$1,652.20

Standard Fittings



90mm PVC Mesh Overflow



Strainer Basket



Bib Cock Tap



25mm Brass Outlet for tap



Screw On Lid



25 mm Drain Bung

Tank Fittings and Accessories



Screw On Lid



PVC Mesh Overflow



Strainer Basket

Lids and Overflows

Code	Description	Retail Pricing (inc GST)
COMP-33-05-PPE	355mm Screw Lid	\$73.70
COMP-33-07-PPE	355mm Strainer Basket	\$58.30
COMP-33-08-PPE	455mm Screw Lid	\$102.30
COMP-33-09-PPE	455mm Strainer Basket	\$71.50
TAL-5	90mm PVC Mesh Overflow	\$16.50



Brass Lever Ball Valve



Poly Ball Valve




BibCock Tap

Ball Valves and Taps

Code	Description	Retail Pricing (inc GST)
COMP-38-01	20x20mm Brass Bibcock Tap	\$22.00
COMP-37-01	Brass Lever Ball Valve – 25mm BSP Thread	\$30.80
COMP-37-02	Brass Lever Ball Valve – 32mm BSP Thread	\$48.40
COMP-37-03	Brass Lever Ball Valve – 40mm BSP Thread	\$66.00
COMP-37-04	Brass Lever Ball Valve – 50mm BSP Thread	\$99.00
COMP-37-07	Brass Lever Ball Valve – 80mm BSP Thread	\$209.00
COMP-37-08	Brass Lever Ball Valve – 100mm BSP Thread	\$305.80
COMP-36-01	Poly Ball Valve – 25mm BSP Thread	\$27.50
COMP-36-02	Poly Ball Valve – 32mm BSP Thread	\$41.80
COMP-36-03	Poly Ball Valve – 40mm BSP Thread	\$55.00
COMP-36-04	Poly Ball Valve – 50mm BSP Thread	\$73.70
COMP-36-05	Poly Ball Valve – 80mm BSP Thread	\$100.10
COMP-36-06	Poly Ball Valve – 100mm BSP Thread	\$184.80

Tank Fittings and Accessories



Features

- Connector Kit to join two poly tanks at the base
- Complete set ready for installation
- Extend your water storage capacity with combo tanks

Combo Tank Joiner Kits

Code	Description	Retail Pricing (inc GST)
TJK-01	Combo Tank Joiner Kit - includes 3mtrs 40mm hose & fittings to connect 2x Poly tanks at base	\$165.00
TJK-02	Combo Tank Joiner Kit - includes 3mtrs 50mm hose & fittings to connect 2x Poly tanks at base	\$225.50



Dipstick (TAL-7)

- Floating pole type water level gauge.
- Out of reach of animals.
- 360° all round visibility.
- Great for Cup & Saucer Tanks.



Liquidator (TAL-10)

- Ideal for chemical tanks, only the float is in contact with liquid.
- Protected guided indicator, isn't bothered by wind or other disturbances.

Tank Level Gauges

Code	Description	Retail Pricing (inc GST)
TAL-7	"Dip-stick" tank level gauge	\$260.70
TAL-10	"Liquidator" tank level gauge	\$209.00

Brass Tank Fittings



- Locking nut is left hand thread for secure fit. Doesn't come loose when fitting valves etc.
- 25-50mm have internal and external threads.
- 80-100mm have external thread.

Poly Tank Fittings



- Available in 6 sizes.
- Manufactured from UV stabilised glass fibre reinforced nylon to protect from weather, termite, fungi and bacteria.

Tank Flange Fittings

Code	Description	Retail Pricing (inc GST)
COMP-01-01	25mm (1") Brass Fitting	\$37.40
COMP-01-02	32mm (1 1/4") Brass Fitting	\$39.60
COMP-01-03	40mm (1 1/2") Brass Fitting	\$40.70
COMP-01-04	50mm (2") Brass Fitting	\$51.70
COMP-01-05	80mm (3") Brass Fitting	\$151.80
COMP-01-06	100mm (4") Brass Fitting	\$264.00
COMP-19-02	25mm (1") Poly Fitting	\$13.20
COMP-19-03	32mm (1 1/4") Poly Fitting	\$24.20
COMP-19-04	40mm (1 1/2") Poly Fitting	\$28.60
COMP-19-05	50mm (2") Poly Fitting	\$30.80
COMP-19-06	80mm (3") Poly Fitting	\$105.60
COMP-19-07	100mm (4") Poly Fitting	\$140.80

Water Tanks

Colour Options

Coerco poly water tanks are designed and manufactured under strict control to ensure they are suitable for drinking quality and fully UV stabilised in all colours to survive our harsh climate. Our tanks are manufactured using the best linear low density food grade polyethylene and in guidance with the following standards:

- AS/NZS 4766(INT) Polyethylene storage tanks for water and chemicals
- AS/NZS 4020 Australian Standard for drinking water
- AS 2070 Part 1 and Part 8 Australian Standard for food contact

Standard Tank Colours



Optional COLORBOND® colours are available but may be subject to surcharge and/or delivery delay. Due to printing differences, some colours may vary. COLORBOND® and colour names are registered trademarks of Blue Scope Steel Ltd.™ Colour names are trademarks of Blue Scope Steel Ltd. Coerco colours represented match COLORBOND® steel colours.



No leakage and loss of water!

An important feature of Coerco tanks is **one piece construction** of roof and walls moulded as one with no joins seams or parts lines down the walls. At no stage is the roof cut off and screwed back on.



All tanks are rotationally moulded and tested to ensure walls are the thickest at the base where water pressure is greatest

Moulded lifting lugs



Livestock Products

All Poly Stock Troughs



Features


- Standard with 25mm (1") float valve
- Optional with 32mm (1¼"), 40mm (1½") or 50mm (2") float valve
- Unmatched strength through one piece moulding
- Exceptionally durable and versatile
- Easy to clean with round sweep out end
- Standard colour is beige
- Full float valve protection
- Designed and manufactured in WA for harsh local conditions
- Optional waterfilled base for improved stability
- Peg down points to prevent livestock pushing trough around

All Poly Stock Troughs

Code	Description (mm)	Retail Pricing (inc GST)
PTR39X	130ltr - (2400L x 450W x 420H) - without float valve	\$575.30
PTR39W	130ltr - (2400L X 450W X 420H) - with 25mm float valve	\$618.20
PTR40X	200ltr - (3600L X 450W X 420H) - without float valve	\$776.60
PTR40W	200ltr - (3600L X 450W X 420H) - with 25mm float valve	\$819.50
PTR60X	308ltr - (3600L X 580W X 460H) - without float valve	\$863.50
PTR60W	308ltr - (3600L X 580W X 460H) - with 25mm float valve	\$905.30

Float Valve Upgrades

Code	Description (mm)	Retail Pricing (inc GST)
+32LP	Float Valve upgrade to 32mm (1¼") Low Pressure	\$93.50
+32HP	Float Valve upgrade to 32mm (1¼") High Pressure	\$93.50
+40LP	Float Valve upgrade to 40mm (1½") Low Pressure	\$132.00
+40HP	Float Valve upgrade to 40mm (1½") High Pressure	\$132.00
+50LP	Float Valve upgrade to 50mm (2") Low Pressure	\$160.60
+50HP	Float Valve upgrade to 50mm (2") High Pressure	\$160.60



PTR39W



PTR40W




PTR60W

Livestock Products

Steel Frame Longline Troughs

Features

- Water troughs standard with 25mm (1") float valve
- Optional with 32mm (1¼"), 40mm (1½") or 50mm (2") float valve
- Durable UV stabilised polyethylene for long outdoor life
- Rust free polyethylene will not corrode
- Light weight for ease of relocation
- Smooth finish and 2" drain bung facilitates cleaning
- Strong 25mm x 25mm galvanised steel frames
- Peg down points to prevent livestock pushing trough around



PT16F

Steel Frame Longline Water Troughs

Code	Description (mm)	Retail Pricing (inc GST)
PT06W	190ltr - (2400L X 550W X 450H) - with 25mm float valve	\$665.50
PT16W	380ltr - (4800L X 550W X 450H) - with 25mm float valve	\$1,019.70

Steel Frame Longline Feed Troughs


Code	Description (mm)	Retail Pricing (inc GST)
PT06F	190ltr - (2400L X 550W X 450H) - no float valve	\$451.00
PT16F	380ltr - (4800L X 550W X 450H) - no float valve	\$887.70

Float Valve Upgrades

Code	Description (mm)	Retail Pricing (inc GST)
+32LP	Float Valve upgrade to 32mm (1¼") Low Pressure	\$93.50
+32HP	Float Valve upgrade to 32mm (1¼") High Pressure	\$93.50
+40LP	Float Valve upgrade to 40mm (1½") Low Pressure	\$132.00
+40HP	Float Valve upgrade to 40mm (1½") High Pressure	\$132.00
+50LP	Float Valve upgrade to 50mm (2") Low Pressure	\$160.60
+50HP	Float Valve upgrade to 50mm (2") High Pressure	\$160.60



PT06W



PT16W

Livestock Products

M Series Troughs

Features

- Water troughs only available with 15mm float valve
- Strong all-poly construction suitable for corrosive environments
- Light and easy to handle facilitates relocation
- Smooth finish for ease of cleaning
- Peg down points to prevent livestock pushing trough around
- Covered float on water troughs prevents stock damage to float



PTM33W

PTM33F

M Series Water Troughs

Code	Description (mm)	Retail Pricing (inc GST)
PTM33W	Water trough - 110ltr - (1200L X 580W X 250H) - with 15mm float valve	\$267.30
PTM31W	Water trough - 230ltr - (2400L X 580W X 250H) - with 15mm float valve	\$366.30

M Series Feed Troughs

Code	Description (mm)	Retail Pricing (inc GST)
PTM33F	Feed trough - 110ltr - (1200L X 580W X 250H) - no float valve	\$161.70
PTM31F	Feed trough - 230ltr - (2400L X 580W X 250H) - no float valve	\$265.10

Livestock Products

Ultra Tub Troughs



PTU3



PTU6



PTU12



PTU25

Features

- Float compartment moulded as part of trough
- Raised float to allow complete filling of trough
- All pipework protected by trough surround
- 50mm drain bung
- Exceptionally strong design
- Stainless steel float valve cover fasteners

Ultra Tub Troughs

Code	Description (mm)	Retail Pricing (inc GST)
PTU3*	250ltr- (1100D X 450H) - with 15mm float valve	\$458.70
PTU6	600ltr- (1400D X 550H) - with 25mm float valve	\$759.00
PTU12	1,200ltr- (1750D X 600H) - with 25mm float valve	\$958.10
PTU25	2,500ltr- (2400D X 650H) - with 25mm float valve	\$1,501.50

Float Valve Upgrades

Code	Description (mm)	Retail Pricing (inc GST)
+32LP	Float Valve upgrade to 32mm (1¼") Low Pressure	\$93.50
+32HP	Float Valve upgrade to 32mm (1¼") High Pressure	\$93.50
+40LP	Float Valve upgrade to 40mm (1½") Low Pressure	\$132.00
+40HP	Float Valve upgrade to 40mm (1½") High Pressure	\$132.00
+50LP	Float Valve upgrade to 50mm (2") Low Pressure	\$160.60
+50HP	Float Valve upgrade to 50mm (2") High Pressure	\$160.60



Float valve protected by slide up access cover

*PTU3 is not available with float valve upgrades

Livestock Products

Cup and Saucer Tanks



CS2700

CS3000

CS5000

CS10000

Features

- 25mm (1") inlet and saucer float valves
 - Extremely durable
 - Tie down lugs on tank
 - Easy action float cover with all stainless steel fasteners - no rust.
 - High / Low level inlets for filling at ground level or straight from windmill etc
 - 50mm drain plug in all size saucers
 - Standard in beige colour with float cover and stainless steel fasteners.
- Other colours available with a 10% surcharge and additional delivery time



Protected float valve compartment and stainless steel fasteners.

Poly Cup and Saucer Tanks

Code	Description (mm)	Retail Pricing (inc GST)
CS2700	Poly Cup & Saucer Tank - 600 Gallon / 2,700Ltr - (2000D x 2000H)	\$2,207.70
CS3000	Poly Cup & Saucer Tank - 660 Gallon / 3,000Ltr - (2400D x 1240H)	\$2,259.40
CS5000	Poly Cup & Saucer Tank - 1,100 Gallon / 5,000Ltr - (2400D x 2000H)	\$2,846.80
CS10000	Poly Cup & Saucer Tank - 2,200 Gallon / 10,000Ltr - (3300D x 2000H)	\$3,841.20

Liquid Fertiliser Storage and Transport

Liquid Fertiliser Storage



Features

- Certified design and analysis on structure
- Durable, impact resistant, UV stabilised, chemical resistant poly material
- 80mm (3") suction port with butterfly valve, camlock and dust cap (includes elbow to draw from lowest point)
- 80mm (3") fill line including 25mm (1") drain for operator safety
- Tank level gauge for easy viewing of content volume
- Vented access hatch
- Approved for storage by all major liquid fertiliser companies



LF50000

Liquid Fertiliser Storage Tanks

Code	Description	Retail Pricing (inc GST)
LF10500	10,500Ltr (14 Tonne) Liquid Fertiliser Storage Tank (2450D x 2450H)	\$4,724.50
LF25000	25,000Ltr (33 Tonne) Liquid Fertiliser Storage Tank (3825D x 2555H)	\$6,121.50
LF50000	50,000Ltr (65 Tonne) Liquid Fertiliser Storage Tank (4575D x 3400H)	\$11,798.60

Liquid Fertiliser Storage Tank Accessories

Code	Description	Retail Pricing (inc GST)
LF-2R	80mm (3") to 50mm (2") Reducer Fittings	\$60.50

Liquid Fertiliser Storage and Transport

Free Standing Liquid Fertiliser Transport Tanks

10 Year
Warranty

LIQUID TRANSPORTATION
TANKS



12,500L Free-Standing Liquid Fertiliser Cartage Tank




Painted Fork Accessible Skid Frame


Features

- Special 'FNS' series range manufactured for transport of liquid fertilisers and chemicals with heavier SG ratings
- Easy to read calibrations†
- Strength through ingenuity of design
- Durable, impact resistant, UV stabilised polyethylene for long life
- Stainless steel lid and strainer basket supplied with all fertiliser spray tanks
- Sight tube for easy viewing of content volume†
- One outlet supplied with tank, quantity and sizes optional
- Integral foam filled baffle to reduce surge and increase stability**
- Mounting pins supplied as standard, extra mounting pins available
- Optional Ball Baffle System® available
- All free standing tanks available with forkliftable painted skid
- Poly fittings for easy connection
- Standard colour is white

Mounting Pin



Cutaway showing baffle



Integral foam
filled baffle

Free Standing Liquid Fertiliser Transport Tanks

Code	Description (mm)	Retail Pricing (inc GST)
FNS2000FS	2,000 Ltr Liquid Fertiliser Free Standing Cartage Tank - (1830L x 1400W x 1130H)	\$2,664.20
FNS3000FS	3,000 Ltr Liquid Fertiliser Free Standing Cartage Tank - (2365L x 1460W x 1300H) - Non Baffled	\$3,795.00
FNS5000FS	5,000 Ltr Liquid Fertiliser Free Standing Cartage Tank - (2425L x 1830W x 1708H) - Non Baffled	\$5,387.80
FNS7000FS	7,000 Ltr Liquid Fertiliser Free Standing Cartage Tank - (3430L x 1850W x 1670H)	\$7,323.80
FNS10000FS	10,000 Ltr Liquid Fertiliser Free Standing Cartage Tank - (3600L x 2100W x 1890H)	\$11,368.50
FNS12500FS	12,500 Ltr Liquid Fertiliser Free Standing Cartage Tank - (4000L x 2200W x 2250H) - Non Baffled	\$14,278.00
FNS17000FS	17,000 Ltr Liquid Fertiliser Free Standing Cartage Tank - (4450L x 2300W x 2350H) - Non Baffled	\$20,097.00

Free Standing Liquid Fertiliser Transport Tank Skid Frames

Code	Description (mm)	Retail Pricing (inc GST)
PART-07-13	Painted Skid Frame To Suit 2,000L Free Standing Liquid Fertiliser Cartage Tank - Fork Accessible	\$2,236.30
PART-07-14	Painted Skid Frame To Suit 3,000L Free Standing Liquid Fertiliser Cartage Tank - Fork Accessible	\$3,049.20
PART-07-15	Painted Skid Frame To Suit 5,000L Free Standing Liquid Fertiliser Cartage Tank - Fork Accessible	\$3,569.50
PART-07-16	Painted Skid Frame To Suit 7,000L Free Standing Liquid Fertiliser Cartage Tank - Fork Accessible	\$4,807.00
PART-07-17	Painted Skid Frame To Suit 10,000L Free Standing Liquid Fertiliser Cartage Tank - Fork Accessible	\$4,917.00
PART-07-18	Painted Skid Frame To Suit 12,500L Free Standing Liquid Fertiliser Cartage Tank - Fork Accessible	\$6,160.00
PART-07-19	Painted Skid Frame To Suit 17,000L Free Standing Liquid Fertiliser Cartage Tank - Fork Accessible	\$6,892.60

** Except 3000, 5000, 12500 & 17000ltr Models

† Calibrations and sight tube readings should be taken as an approximate measure of volume only.


Liquid Fertiliser Storage and Transport

Sump Based Liquid Fertiliser Transport Tanks

10 Year
Warranty
LIQUID TRANSPORTATION
TANKS



12,500L Sump Based Liquid Fertiliser Cartage Tank



Painted Fork Accessible Skid Frame

Features


- Special 'FNS' series range manufactured for transport of liquid fertilisers and chemicals with heavier SG ratings
- Strength through ingenuity of design
- Durable, impact resistant, UV stabilised polyethylene for long life
- Easy to read calibrations†
- Sight tube for easy view of content volume†
- Stainless steel lid and strainer basket supplied with all fertiliser spray tanks
- One outlet supplied with tank, quantity and sizes optional
- Available with robust painted steel mounting frame for protection of tank and ease of installation
- Mounting pins supplied as standard, extra mounting pins available
- Optional Ball Baffle System® available
- Poly fittings for easy connection
- Standard colour is white

Sump Base



Note that the sump sits lower than the legs

Mounting Pin



Sump Based Liquid Fertiliser Transport Tanks

Code	Description (mm)	Retail Pricing (inc GST)
FNS2000	2,000 Ltr Sump Based Liquid Fertiliser Transport Tank - (1830L x 1400W x 1130H)	\$2,719.20
FNS3000	3,000 Ltr Sump Based Liquid Fertiliser Transport Tank - (2365L x 1460W x 1300H)	\$3,890.70
FNS5000	5,000 Ltr Sump Based Liquid Fertiliser Transport Tank - (2425L x 1830W x 1708H)	\$5,525.30
FNS7000	7,000 Ltr Sump Based Liquid Fertiliser Transport Tank - (3430L x 1850W x 1670H)	\$7,513.00
FNS10000	10,000 Ltr Sump Based Liquid Fertiliser Transport Tank - (3600L x 2100W x 1890H)	\$11,657.80
FNS12500	12,500 Ltr Sump Based Liquid Fertiliser Transport Tank - (4000L x 2200W x 2550H)	\$14,644.30

Sump Based Liquid Fertiliser Transport Tank Skid Frames

Code	Description (mm)	Retail Pricing (inc GST)
PART-04-14	Painted Skid Frame To Suit 2,000L Sump Based Liquid Fertiliser Cartage Tank - Fork Accessible	\$2,420.00
PART-04-15	Painted Skid Frame To Suit 3,000L Sump Based Liquid Fertiliser Cartage Tank - Fork Accessible	\$3,049.20
PART-04-16	Painted Skid Frame To Suit 5,000L Sump Based Liquid Fertiliser Cartage Tank - Fork Accessible	\$3,569.50
PART-04-17	Painted Skid Frame To Suit 7,000L Sump Based Liquid Fertiliser Cartage Tank - Fork Accessible	\$4,807.00
PART-04-18	Painted Skid Frame To Suit 10,000L Sump Based Liquid Fertiliser Cartage Tank - Fork Accessible	\$5,363.60
PART-04-19	Painted Skid Frame To Suit 12,500L Sump Based Liquid Fertiliser Cartage Tank - Fork Accessible	\$6,003.80

† Calibrations and sight tube readings should be taken as an approximate measure of volume only.

Liquid Transportation

Free Standing Liquid Transport Tanks

Features

- Easy to read calibrations†
- Strength through ingenuity of design
- Durable, impact resistant, UV stabilised polyethylene for long life
- Sight tube for easy viewing of content volume†
- One outlet supplied with tank, quantity and sizes optional
- Secure screw lid
- Integral foam filled baffle to reduce surge and increase stability**
- Mounting pins supplied as standard, extra mounting pins available
- Optional Ball Baffle System® available
- All free standing tanks available with forkliftable galvanised skid
- Strainer basket supplied with all tanks
- Standard colour is white

10 Year
Warranty

LIQUID TRANSPORTATION
TANKS



Free Standing Liquid Transport Tanks

Code	Description (mm)	Retail Pricing (inc GST)
ST400FS	400 Ltr Free Standing Liquid Transport Tank - (1250L X 850W X 650H)	\$803.00
ST600FS	600 Ltr Free Standing Liquid Transport Tank - (1350L X 980W X 710H)	\$882.20
ST800FS	800 Ltr Free Standing Liquid Transport Tank - (1370L X 1100W X 860H)	\$1,085.70
ST1000FS	1,000 Ltr Free Standing Liquid Transport Tank - (1370L X 1210W X 960H)	\$1,202.30
ST1500FS	1,500 Ltr Free Standing Liquid Transport Tank - (1780L X 1260W X 1045H)	\$1,772.10
ST2000FS	2,000 Ltr Free Standing Liquid Transport Tank - (1830L X 1400W X 1130H)	\$2,361.70
ST3000FS	3,000 Ltr Free Standing Liquid Transport Tank - (2365L x 1460W x 1300H) - Non Baffled	\$3,246.10
ST5000FS	5,000 Ltr Free Standing Liquid Transport Tank - (2425L x 1830W x 1708H) - Non Baffled	\$4,595.80
ST7000FS	7,000 Ltr Free Standing Liquid Transport Tank - (3400L x 1850W x 1670H)	\$6,244.70
ST10000FS	10,000 Ltr Free Standing Liquid Transport Tank - (3600L x 2110W x 2020H)	\$9,707.50
ST12500FS	12,500 Ltr Free Standing Liquid Transport Tank - (3930L x 2200W x 2085H) - Non Baffled	\$12,193.50
ST17000FS	17,000 Ltr Free Standing Liquid Transport Tank - (4630L X 2330W X 2350H) - Non Baffled	\$17,166.60

Free Standing Liquid Transport Tank Skid Frames

Code	Description (mm)	Retail Pricing (inc GST)
PART-07-01	Galvanised Skid Frame To Suit 400L Free Standing Cartage Tank	\$848.10
PART-07-02	Galvanised Skid Frame To Suit 600L Free Standing Cartage Tank	\$866.80
PART-07-03	Galvanised Skid Frame To Suit 800L Free Standing Cartage Tank	\$992.20
PART-07-04	Galvanised Skid Frame To Suit 1,000L Free Standing Cartage Tank	\$994.40
PART-07-05	Galvanised Skid Frame To Suit 1,500L Free Standing Cartage Tank	\$1,216.60
PART-07-06	Galvanised Skid Frame To Suit 2,000L Free Standing Cartage Tank - Fork Accessible	\$1,526.80
PART-07-07	Galvanised Skid Frame To Suit 3,000L Free Standing Cartage Tank - Fork Accessible	\$2,064.70
PART-07-08	Galvanised Skid Frame To Suit 5,000L Free Standing Cartage Tank - Fork Accessible	\$2,592.70
PART-07-09	Galvanised Skid Frame To Suit 7,000L Free Standing Cartage Tank - Fork Accessible	\$3,770.80
PART-07-10	Galvanised Skid Frame To Suit 10,000L Free Standing Cartage Tank - Fork Accessible	\$3,924.80
PART-07-11	Galvanised Skid Frame To Suit 12,500L Free Standing Cartage Tank - Fork Accessible	\$4,527.60
PART-07-12	Galvanised Skid Frame To Suit 17,000L Free Standing Cartage Tank - Fork Accessible	\$4,847.70

** Except 3000, 5000, 12500 & 17000ltr Models

† Calibrations and sight tube readings should be taken as an approximate measure of volume only.

Liquid Transportation

Sump Based Liquid Transport Tanks

Features

- Strength through ingenuity of design
- Durable, impact resistant, UV stabilised polyethylene for long life
- Easy to read calibrations†
- Sight tube for easy view of content volume†
- Vented lid and strainer basket supplied with all tanks
- One outlet supplied with tank, quantity and sizes optional
- Secure screw lid
- Available with robust galvanised steel mounting frame for protection of tank and ease of installation
- Mounting pins supplied as standard for secure fastening, extra mounting pins available
- Optional Ball Baffle System® available.
- Poly fittings for easy connection
- Standard colour is white

10 Year
Warranty

LIQUID TRANSPORTATION
TANKS



Sump Base



Sump Based Liquid Transport Tanks

Code	Description (mm)	Retail Pricing (inc GST)
ST400	400 Ltr Sump Based Liquid Transport Tank - (1250L x 850W x 650H)	\$839.30
ST600	600 Ltr Sump Based Liquid Transport Tank - (1350L x 980W x 710H)	\$965.80
ST800	800 Ltr Sump Based Liquid Transport Tank - (1370L x 1100W x 860H)	\$1,200.10
ST1000	1,000 Ltr Sump Based Liquid Transport Tank - (1355L x 1210W x 960H)	\$1,301.30
ST1500	1,500 Ltr Sump Based Liquid Transport Tank - (1750L x 1250W x 1045H)	\$1,915.10
ST2000	2,000 Ltr Sump Based Liquid Transport Tank - (1880L x 1410W x 1130H)	\$2,552.00
ST3000	3,000 Ltr Sump Based Liquid Transport Tank - (2365L x 1460W x 1300H)	\$3,329.70
ST5000	5,000 Ltr Sump Based Liquid Transport Tank - (2425L x 1830W x 1708H)	\$4,714.60
ST7000	7,000 Ltr Sump Based Liquid Transport Tank - (3400L x 1850W x 1670H)	\$6,404.20
ST10000	10,000 Ltr Sump Based Liquid Transport Tank - (3660L x 2110W x 2020H)	\$9,955.00
ST12500	12,500 Ltr Sump Based Liquid Transport Tank - (3930L x 2200W x 2105H)	\$12,504.80


Sump Based Liquid Transport Tank Skid Frames

Code	Description (mm)	Retail Pricing (inc GST)
PART-04-02	Galvanised Skid Frame To Suit 400L Sump Based Cartage Tank	\$940.50
PART-04-03	Galvanised Skid Frame To Suit 600L Sump Based Cartage Tank	\$965.80
PART-04-04	Galvanised Skid Frame To Suit 800L Sump Based Cartage Tank	\$1,170.40
PART-04-05	Galvanised Skid Frame To Suit 1,000L Sump Based Cartage Tank	\$1,172.60
PART-04-06	Galvanised Skid Frame To Suit 1,500L Sump Based Cartage Tank	\$1,398.10
PART-04-07	Galvanised Skid Frame To Suit 2,000L Sump Based Cartage Tank - Fork Accessible	\$1,622.50
PART-04-08	Galvanised Skid Frame To Suit 3,000L Sump Based Cartage Tank - Fork Accessible	\$2,064.70
PART-04-09	Galvanised Skid Frame To Suit 5,000L Sump Based Cartage Tank - Fork Accessible	\$2,592.70
PART-04-10	Galvanised Skid Frame To Suit 7,000L Sump Based Cartage Tank - Fork Accessible	\$3,773.00
PART-04-11	Galvanised Skid Frame To Suit 10,000L Sump Based Cartage Tank - Fork Accessible	\$4,347.20
PART-04-12	Galvanised Skid Frame To Suit 12,500L Sump Based Cartage Tank - Fork Accessible	\$4,527.60

† Calibrations and sight tube readings should be taken as an approximate measure of volume only.

Liquid Transportation

Liquid Transport Accessories



Features

- Tested and approved by Loadsafe Australia and complies with load restraint guide performance standards
- Reduces fluid movement for improved load stability during transit
- Independent testing shows 46% improvement in braking
- Slalom testing shows remarkable increase in vehicle stability with a two-thirds full water tank fitted with Baffle Ball System®
- Suitable for use with all tanks - steel, poly, fibreglass, etc
- Food grade quality material - suitable for potable water
- Can be used with water, diesel and other liquids
- No rust, lightweight and durable
- Low liquid displacement - 428ml per ball or 1.07% of total volume
- Simple to install
- Recommended use quantity
 - 355mm is one ball baffle per 40 litres of tank capacity
- Ball Baffles are supplied in two halves and require clipping together and inserting through the lid into tank
- Made in Australia

Ball Baffle System

Code	Description (mm)	Retail Pricing (inc GST)
SBB355	Large Baffle Ball - 355mm	\$13.20

Spray Tank Lids & Strainer Basket

Code	Description (mm)	Retail Pricing (inc GST)
COMP-33-05-PPE	355mm Screw Lid	\$73.70
COMP-33-07-PPE	355mm Strainer Basket	\$58.30
COMP-33-08-PPE	455mm Screw Lid	\$102.30
COMP-33-09-PPE	455mm Strainer Basket	\$71.50
SSTL-455	455mm Stainless Steel Hinged Lid and Seal	\$475.20



Fire Fighting Equipment

Skid Mount Fire Fighter Units



FF1000C

Features

- Durable UV stabilised white coloured polyethylene tank with baffle
- Sight tube for easy view of content volume
- Secure screw lid
- Strong hot dip galvanised steel frame with easy lifting & tie down points - always ready for action
- Hot dipped galvanised steel hose reel with 30m of 25mm hose - complete with adjustable nozzle and hose reel lock
- 50mm camlock quick connection fittings
- 6mtr Suction hose with non return foot valve
- Aussie Fire Chief Pump with a 5-year pump end warranty and powered by a HONDA engine

Skid Mount Fire Fighter Units

Code		Description (mm)	Retail Pricing (inc GST)
FF400C		400 Ltr Skid Mounted Firefighter - (1950L x 1250W x 700H)	\$5,585.80
FF600C		600 Ltr Skid Mounted Firefighter - (2040L x 1300W x 800H)	\$5,802.50
FF800C		800 Ltr Skid Mounted Firefighter - (2210L x 1400W x 850H)	\$6,042.30
FF1000C		1,000 Ltr Skid Mounted Firefighter - (2275L x 1400W x 1050H)	\$6,165.50
FF1500C		1,500 Ltr Skid Mounted Firefighter - (2600L x 1250W x 1050H)	\$6,871.70

Options

- Diesel powered pump
- Ball Baffle System®



Fire Fighting Equipment

Compact Firefighter Units



FFCH600



FFCH800



FFCH1000

Features

- All sizes with sump drain for complete evacuation of tank contents
- All sizes with forklift access
- Durable UV stabilised polyethylene tank for long life
- Secure screw lid
- Strong hot dip galvanised steel frame with easy lifting and tie down points
- Hot dipped galvanised steel hose reel with 30m of 25mm hose - complete with adjustable nozzle and hose reel lock
- 6mtr suction hose with foot valve
- Aussie Fire Chief Pump with a 5-year pump end warranty and powered by a HONDA engine
- Compact design - Ideal for tray back utes
- 50mm camlock quick connection fittings

Compact Fire Fighter Units

Code	Description (mm)	Retail Pricing (inc GST)
FFCH600	600 Ltr Compact Firefighter - (1675L x 1185W x 1025H)	\$4,978.60
FFCH800	800 Ltr Compact Firefighter - (1675L x 1185W x 1045H)	\$5,195.30
FFCH1000	1,000 Ltr Compact Firefighter - (1675L x 1185W x 1240H)	\$5,406.50

Options

- Diesel powered pump
- Ball Baffle System®



Fire Fighting Equipment

Trailed Firefighter Units



FF800T

Features

- Designed and manufactured for easy operation
- Durable UV stabilised white coloured polyethylene tank with baffle
- Secure screw lid
- Galvanised chassis frame
- Mudguards and mudflaps
- Heavy duty pivot jockey wheel
- Landcruiser stud pattern rims
- Aussie Fire Chief Pump with a 5-year pump end warranty and powered by a HONDA engine
- 50mm camlock quick connection fittings
- Hot dipped galvanised steel hose reel with 30m of 25mm hose - complete with adjustable nozzle and hose reel lock
- Suction hose with non return foot valve

Trailed Fire Fighting Equipment

Code	Description (mm)	Retail Pricing (inc GST)
FF600T	600 Ltr Single Axle Firefighter Trailer Unit	\$10,579.80
FF800T	800 Ltr Single Axle Firefighter Trailer Unit	\$10,819.60
FF1000T	1,000 Ltr Single Axle Firefighter Trailer Unit	\$10,934.00
FF1000TT	1,000 Ltr Tandem Axle Firefighter Trailer Unit	\$13,152.70
FF1500TT	1,500 Ltr Tandem Axle Firefighter Trailer Unit	\$13,713.70
FF2000TT	2,000 Ltr Tandem Axle Firefighter Trailer Unit	\$14,404.50
FF3000TT	3,000 Ltr Tandem Axle Firefighter Trailer Unit	\$16,518.70

Trailed Fire Fighting Equipment Accessories

Code	Description (mm)	Retail Pricing (inc GST)
MT-SW	Spare Wheel and Carrier	\$622.60
MT-TB	Heavy Duty Steel Tool Box	\$820.60

Brake Systems

Code	Description (mm)	Retail Pricing (inc GST)
MT-SAMB	Single Axle Mechanical Override Brakes (Can Be Licensed To 1,500kgs)	\$737.00
MT-TAMB	Tandem Axle Mechanical Override Brakes (Can Be Licensed To 2,000kgs)	\$737.00
MT-TAEB	Tandem Axle Electric Brakes (Can Be Licensed To 3,000kgs)	\$2,876.50

i 3,000L trailer is only available either unbraked or with electric brakes (mechanical brakes are not an option)

Licensing Requirements

Code	Description (mm)	Retail Pricing (inc GST)
MT-LICP	License Inspection Compliance Plate	\$195.80
MT-LI	License Inspection (Includes Paperwork Ready For Registration)	\$554.40
MT-ILK	Indicator Lamp Kit	\$568.70

Fire Fighting Equipment

Hose Reels




Features

- Hot dipped galvanised steel frame and base
- Compact design for smooth operation
- Simple winding mechanism
- Strong locking mechanism to prevent accidental unwinding
- High-quality nose and nozzle

Hose Reels

Code	Description (mm)	Retail Pricing (inc GST)
FRX25	Fire Hose Reel - Excluding Hose - To Suit 25mm Hose	\$545.60
FR25	Fire Hose Reel - 25mm Hose @ 30 Mtr	\$751.30



Diesel Storage and Transport Products

Diesel Storage Tanks



Features

- Complies to Australian Standards AS1940:2017 with an approved bund
- High quality diesel grade material
- UV resistant for Australian conditions
- Easy to install and easy to relocate if required
- 50mm anti-splash and anti-static fill line with non-return valve
- 50mm low level outlet with lockable ball valve tap and camlock
- Level gauge for easy viewing of content volume
- Earth strap and rod

Diesel Storage Tanks

Code	Description (mm)	Retail Pricing (inc GST)
DDS5000	5,000Ltr Diesel Storage Tank (1800D x 2275H) - Excludes Pump	\$4,841.10
DDS10000	10,000Ltr Diesel Storage Tank (2450D x 2450H) - Excludes Pump	\$5,885.00



Features

- Quality Italian made pumps (12 and 240 volt options)
- Locakable pump cabinet to secure pump and nozzle
- 25mm auto shut-off nozzle
- 4 digit flow meter
- Filter with 10 micron nominal rating and pressure gauge

Diesel Dispensing Pumps & Accessories

Code	Description (mm)	Retail Pricing (inc GST)
DDS12V60PK	12V 60LPM Diesel Pump, 6m hose & 25mm auto shut off nozzle	\$3,831.30
DDS240V80PK	240V 80LPM Diesel Pump, 6m hose & 25mm auto shut off nozzle	\$3,995.20
DDS240V100PK	240V 100LPM Diesel Pump, 6m hose & 25mm auto shut off nozzle	\$4,127.20

i Please note that 240 Volt Pumps must be hard wired in by a qualified electrician.

Diesel Storage and Transport Products

Trailed Diesel Transport Equipment



1,000L Tandem Axle Diesel Trailer (DT1000TT) with Indicator Lamp Kit (MT-ILK)

Features

- Purpose built for easy operation and smooth towing
- Landcruiser stud pattern hubs with spring suspension
- Durable tank manufactured with a specialised grade polyethylene formulated for use in diesel tanks
- 40mm diesel transfer pump coupled to Honda GX200 petrol recoil start engine
- 25mm auto rewind hose reel
- 25mm auto shut-off nozzle
- Sight tube for easy view of content volume
- Galvanised chassis frame
- Custom mudflaps
- Heavy duty pivot jockey wheel
- UV stabilised for long life

Trailed Diesel Transport Equipment

Code	Description (mm)	Retail Pricing (inc GST)
DT600T	600 Ltr Single Axle Diesel Trailer Unit	\$14,569.50
DT800T	800 Ltr Single Axle Diesel Trailer Unit	\$14,789.50
DT1000T	1,000 Ltr Single Axle Diesel Trailer Unit	\$14,930.30
DT1000TT	1,000 Ltr Tandem Axle Diesel Trailer Unit	\$17,174.30
DT1500TT	1,500 Ltr Tandem Axle Diesel Trailer Unit	\$17,671.50
DT2000TT	2,000 Ltr Tandem Axle Diesel Trailer Unit	\$18,389.80
DT3000TT	3,000 Ltr Tandem Axle Diesel Trailer Unit	\$20,537.00

Trailed Diesel Transport Equipment Accessory

Code	Description (mm)	Retail Pricing (inc GST)
MT-SW	Spare Wheel and Carrier	\$622.60

Brake Systems

Code	Description (mm)	Retail Pricing (inc GST)
MT-SAMB	Single Axle Mechanical Override Brakes (Can Be Licensed To 1,500kgs)	\$737.00
MT-TAMB	Tandem Axle Mechanical Override Brakes (Can Be Licensed To 2,000kgs)	\$737.00
MT-TAEB	Tandem Axle Electric Brakes (Can Be Licensed To 3,000kgs)	\$2,876.50

i 3,000L trailer is only available either unbraked or with electric brakes (mechanical brakes are not an option)

Licensing Requirements

Code	Description (mm)	Retail Pricing (inc GST)
MT-LICP	License Inspection Compliance Plate	\$195.80
MT-LI	License Inspection (Includes Paperwork Ready For Registration)	\$554.40
MT-ILK	Indicator Lamp Kit	\$568.70

Diesel Storage and Transport Products

Free Standing Diesel Transport Equipment

Features

- Integral foam filled baffle to reduce surge and increase stability[§]
- Flat based to allow transport flexibility
- Special grade polyethylene for diesel - coloured to denote "Diesel Only"
- UV stabilised for long outdoor life
- Mounting pins supplied as standard
- Optional Ball Baffle System® available
- All models available with forkliftable galvanised mounting skid
- 2" filler hole with cap, 2" drum pump access fitting and splash resistant vent
- Calibrated for easy checking of content volume with sight tube†



DT600FS

Free Standing Diesel Transport Tanks

Code	Description (mm)	Retail Pricing (inc GST)
DT400FS	400 Ltr Free Standing Diesel Transport Tank - (1250L x 850W x 650H)	\$964.70
DT600FS	600 Ltr Free Standing Diesel Transport Tank - (1300L x 980W x 710H)	\$1,107.70
DT800FS	800 Ltr Free Standing Diesel Transport Tank - (1370L x 1100W x 860H)	\$1,400.30
DT1000FS	1,000 Ltr Free Standing Diesel Transport Tank - (1355L x 1210W x 960H)	\$1,545.50
DT1500FS	1,500 Ltr Free Standing Diesel Transport Tank - (1750L x 1250W x 1045H)	\$2,062.50
DT2000FS	2,000 Ltr Free Standing Diesel Transport Tank - (1830L x 1400W x 1130H)	\$2,718.10
DT3000FS	3,000 Ltr Free Standing Diesel Transport Tank - (2365L x 1460W x 1300H) - Non Baffled	\$3,977.60
DT5000FS	5,000 Ltr Free Standing Diesel Transport Tank - (2425L x 1830W x 1708H) - Non Baffled	\$5,649.60
DT7000FS	7,000 Ltr Free Standing Diesel Transport Tank - (3430L x 1850W x 1670H)	\$7,681.30
DT10000FS	10,000 Ltr Free Standing Diesel Transport Tank - (3600L x 2100W x 1890H)	\$11,919.60
DT12500FS	12,500 Ltr Free Standing Diesel Transport Tank - (4000L x 2200W x 2085H) - Non Baffled	\$14,972.10
DT17000FS	17,000 Ltr Free Standing Diesel Transport Tank - (4450L x 2300W x 2350H) - Non Baffled	\$20,548.00

Free Standing Diesel Transport Tank Skid Frames

Code	Description (mm)	Retail Pricing (inc GST)
PART-07-01	Galvanised Skid Frame To Suit 400L Free Standing Cartage Tank	\$848.10
PART-07-02	Galvanised Skid Frame To Suit 600L Free Standing Cartage Tank	\$866.80
PART-07-03	Galvanised Skid Frame To Suit 800L Free Standing Cartage Tank	\$992.20
PART-07-04	Galvanised Skid Frame To Suit 1000L Free Standing Cartage Tank	\$994.40
PART-07-05	Galvanised Skid Frame To Suit 1500L Free Standing Cartage Tank	\$1,216.60
PART-07-06	Galvanised Skid Frame To Suit 2000L Free Standing Cartage Tank - Fork Accessible	\$1,526.80
PART-07-07	Galvanised Skid Frame To Suit 3000L Free Standing Cartage Tank - Fork Accessible	\$2,064.70
PART-07-08	Galvanised Skid Frame To Suit 5000L Free Standing Cartage Tank - Fork Accessible	\$2,592.70
PART-07-09	Galvanised Skid Frame To Suit 7000L Free Standing Cartage Tank - Fork Accessible	\$3,770.80
PART-07-10	Galvanised Skid Frame To Suit 10000L Free Standing Cartage Tank - Fork Accessible	\$3,924.80
PART-07-11	Galvanised Skid Frame To Suit 12500L Free Standing Cartage Tank - Fork Accessible	\$4,527.60
PART-07-12	Galvanised Skid Frame To Suit 17000L Free Standing Cartage Tank - Fork Accessible	\$4,847.70

§ Except 3000 & 5000ltr Models

† Calibrations and sight tube readings should be taken as an approximate measure of volume only.

Diesel Storage and Transport Products

Diesel Transport Units



Features



- Durable UV stabilised polyethylene tank with specialised grade polyethylene suitable for diesel use
- Baffle ball system for improved load stability
- Galvanised steel frame with fork access and platform for pumping equipment and plumbing
- 40mm cast iron diesel transfer pump coupled to Honda GX200 petrol recoil start engine
- 32mm filter with pressure gauge
- 25mm auto rewind hose reel (with 15m of hose)
- 25mm auto shut-off nozzle and nozzle holder
- 50mm fill line (independent of pump) including non-return valve
- Sight tube for easy view of content volume
- Ability to fill tank through pump

Diesel Transport Units

Code	Description (mm)	Retail Pricing (inc GST)
DTU2000	2,000L Diesel Transport Unit (2795L x 1400W x 1230H)	\$12,552.10
DTU3000	3,000L Diesel Transport Unit (3220H x 1538W x 1450H)	\$14,389.10
DTU5000	5,000L Diesel Transport Unit (3180L x 1836W x 1858H)	\$17,380.00
DTU7000	7,000L Diesel Transport Unit (4240L x 1850W x 1820H)	\$20,608.50
DTU10000	10,000L Diesel Transport Unit (4420L x 2110W x 2150H)	\$25,404.50
DTU12500	12,500L Diesel Transport Unit (4555L x 2200W x 2235H)	\$29,178.60
DTU17000	17,000L Diesel Transport Unit (5485L x 2345W x 2500H)	\$35,535.50

Diesel Transport Unit Accessories

Code	Description (mm)	Retail Pricing (inc GST)
MT-DHA40-U	40mm Auto Rewind Hose Reel - Upgrade from 25mm	\$2,270.40
MT-ASN40-U	40mm Auto Shut-Off Nozzle - Upgrade From 25mm	\$495.00
MT-FM40	40mm BSP Port 4 Digit Flow Meter	\$2,519.00
MT-FM4	25mm BSP Port 4 Digit Flow Meter	\$255.20



Diesel Storage and Transport Products

Diesel Transfer Products

Features

- Diesel Pump Kits for refuelling operations from drums, tanks or mobile refuelling carts
- Robust proven pump kits for diesel refuelling operations
- Designed to give effortless refuelling for agricultural operations

Diesel Transfer Products

Code	Description	Retail Pricing (inc GST)
MT-12A45K	12 Volt Pump Kit With Auto Shut-Off Nozzle - 45Lpm	\$742.50
MT-12A60K	12 Volt Pump Kit With Auto Shut-Off Nozzle - 60Lpm	\$909.70
MT-12AHF	12 Volt Hi-Flo Pump Kit With Auto Shut-Off Nozzle - 85Lpm	\$1,298.00
MT-FM4	25mm BSP Port 4 Digit Flow Meter, Manual	\$255.20
MT-FMD	25mm BSP Electronic Inline Digital Flow Meter For Diesel	\$410.30
MT-FM40	40mm BSP Port 4 Digit Flow Meter, Manual	\$2,519.00
MT-DHA25	25mm Auto Rewind Diesel Hosereel	\$1,463.00
MT-DHA40	40mm Auto Rewind Diesel Hose Reel	\$3,913.80
MT-ASN25	25mm Auto Shut-Off Nozzle	\$316.80
MT-ASN40	40mm Auto Shut-Off Nozzle	\$719.40
MT-DF	1 ¼ Inch Diesel Filter with Gauge	\$314.60
MT-DF10	1 Inch 10 Micron Fuel Filter	\$201.30
MT-MSN40	1 ½ Manual Shut-off Nozzle	\$338.80



MT-12AHF

- 85 L/min open flow
- 12 volt DC/35 amp pump
- 4 metre battery cable with alligator clips
- Easy to use volumetric self priming
- 1" BSP female ports
- 4 metres of 25mm diesel delivery hose
- Auto shutoff nozzle with swivel



MT-12A45K

- 45L/min open flow
- 4 metres of 20mm anti-static delivery hose with anti-kink spring + auto shut-off nozzle
- 4 metres of power cable
- 2 metres of 20mm suction hose
- On/off switch on pump



MT-12A60K

- 60L/min open flow
- 4 metres of 25mm anti-static delivery hose with anti-kink spring + auto shut-off nozzle
- 4 metres of power cable
- 2 metres of 25mm suction hose
- Easy clean suction strainer



MT-FM4

- 1" BSP port 4 digit flow meter with flow range from 20 - 120 LPM.
- 4 digit resettable totaliser. 8 digit non resettable cumulative total.
- For use with diesel fuel in pump or gravity applications.



MT-FMD

- 1" BSP electronic inline turbine meter with compact display ideal for fitting at fuel nozzles.
- Flow range 10-120 LPM maximum, working pressure 300 PSI. accuracy $\pm 1\%$.



MT-DHA25

- Hose reel with 15m x 25mm hose. 1" BSP inlet/outlet. air/water/diesel.
- 300 PSI working pressure.



MT-ASN25

- 1" BSP port
- Auto shut-off

Diesel Storage and Transport Products

Self Contained Diesel Transport Tanks



*Italian Made
Diesel Pumps*



Features

- Models to fit all ute trays.
- Pump cover to protect pump and fittings from weather and damage
- Transfer pump includes 45LPM pump, vented filler cap, 4m fuel hose, electrical leads and clamps plus trigger nozzle
- Lightweight and compact units - saves tray space and allows easy on/off loading
- Automatic trigger nozzle as standard

Self Contained Diesel Transport Tanks

Code	Description (mm)	Retail Pricing (inc GST)
DMP400	400 Ltr Self Contained Diesel Unit - With 12 Volt Pump And Nozzle - (1650L x 790W x 680H)	\$1,581.80
DMP600	600 Ltr Self Contained Diesel Unit - With 12 Volt Pump And Nozzle - (1700L x 900W x 760H)	\$2,062.50
DMP800	800 Ltr Self Contained Diesel Unit - With 12 Volt Pump And Nozzle - (1730L x 1075W x 860H)	\$2,634.50
DMP1000	1,000 Ltr Self Contained Diesel Unit - With 12 Volt Pump And Nozzle - (1730L x 1050W x 1030H)	\$2,825.90

Safety Information

- For use with diesel only.
- Tank must be secured to vehicle and safe working practice observed.
- Some fuel distributors have specific filling requirements - check with your supplier before ordering.
- Coerco is not liable for any damage or loss through improper use of this equipment.

Septic Systems

Septic Tanks

Coerco offers a range of poly septic tank systems which are easily adaptable to suit any requirement and are approved by the Department of Health WA. Manufactured from polyethylene, these products are lightweight, resilient and very flexible to allow easy transportation and installation whilst delivering the perfect desired functionality.



Features

- Lightweight, easy to transport and install
- Manufactured from durable polyethylene
- Anti floatation ring and ribbing incorporated into design
- Certified to Australian Standard AS/NZS1456.1 and approved by Department of Health - WA
- Supplied as complete kit including lid, inlet and outlet 'T' pieces
- Leach drain systems also available (Refer to page 41)

Septic Tanks

Code	Description (mm)	Retail Pricing (inc GST)
SEP-1450	1,450ltr Septic Tank (1250D x 1500H)	\$914.10
SEP-2200	2,200ltr Septic Tank (1540D x 1500H)	\$954.80
SEP-3200	3,200ltr Septic Tank (2150D x 1745H)	\$1,815.00
SEP-4000	4,000ltr Septic Tank (2200D x 1770H)	\$1,886.50


Septic Tank Accessories

Code	Description (mm)	Retail Pricing (inc GST)
EFD-100	100mm Effluent Diverter	\$172.70



Septic Systems

Leach Drain Systems



Coerco's leach drain systems are design to integrate efficiently with our septic tank units although can be utilised in any waste water situation requirement that requires a leaching system.

Manufactured from strong light weight polypropylene, they are an easy to install, cost effective solution for effluent waste issues. They are flat packed for portable and efficient logistics. The systems are very flexible with a range of configurations for every individual requirement and designed to meet strict industry regulations and standards.

Features

- Made from 100% recycled material
- Light weight
- Modular
- 95% void area
- Strong
- Service temperature from -20°C – 120°C
- Polypropylene
- Flat pack form

Benefits

- Environmentally friendly
- Simple to install
- Easy to deliver
- Cost effective
- Chemically inert
- Not affected by mould or algae
- UV stabilised
- Water saving
- 100% recyclable

Leach Drain Systems

Code	Description	Retail Pricing (inc GST)
LD-04	Leach Drain - 4 Mtr (Includes Cells & Geocloth to suit)	\$342.10
LD-05	Leach Drain - 5 Mtr (Includes Cells & Geocloth to suit)	\$391.60
LD-06	Leach Drain - 6 Mtr (Includes Cells & Geocloth to suit)	\$440.00
LD-07	Leach Drain - 7 Mtr (Includes Cells & Geocloth to suit)	\$536.80
LD-08	Leach Drain - 8 Mtr (Includes Cells & Geocloth to suit)	\$586.30
LD-09	Leach Drain - 9 Mtr (Includes Cells & Geocloth to suit)	\$684.20
LD-10	Leach Drain - 10 Mtr (Includes Cells & Geocloth to suit)	\$732.60
LD-11	Leach Drain - 11 Mtr (Includes Cells & Geocloth to suit)	\$830.50
LD-12	Leach Drain - 12 Mtr (Includes Cells & Geocloth to suit)	\$880.00
LD-13	Leach Drain - 13 Mtr (Includes Cells & Geocloth to suit)	\$927.30
LD-14	Leach Drain - 14 Mtr (Includes Cells & Geocloth to suit)	\$1,025.20
LD-15	Leach Drain - 15 Mtr (Includes Cells & Geocloth to suit)	\$1,074.70
LD-16	Leach Drain - 16 Mtr (Includes Cells & Geocloth to suit)	\$1,172.60
LD-17	Leach Drain - 17 Mtr (Includes Cells & Geocloth to suit)	\$1,221.00
LD-18	Leach Drain - 18 Mtr (Includes Cells & Geocloth to suit)	\$1,320.00
LD-19	Leach Drain - 19 Mtr (Includes Cells & Geocloth to suit)	\$1,367.30
LD-20	Leach Drain - 20 Mtr (Includes Cells & Geocloth to suit)	\$1,465.20



Coerco

General Conditions

Product Benefits

Coerco's products are manufactured from the highest food grade material conforming to Australian standards. These products are strong, lightweight, UV resistant and exceptionally durable.

Product Specifications

All specifications are subject to change in line with on-going improvements.

Pricing Includes GST

All prices specified include GST and are subject to change without notice.

Product Design Protection

Many of Coerco products are subject of an Australian Patent and pending design registration.

Sizes

All sizes, measurements and capacities throughout this brochure are only approximate due to the variable shrinkage nature of polyethylene during manufacture.

Placing Your Order

We have a diverse network of distributors throughout Western Australia. Contact your local Coerco agent or call us on 1800 646 277.

Product Returns

All products returned for credit must be in "As New" condition and are subject to a 15% restocking fee and a return freight cost.

Warranty

Coerco's products are guaranteed against faulty workmanship and carry a warranty. To see the full warranty details go to <https://agriculture.coerco.com.au/warranty>

Minimum Orders

Any order under \$55 including GST is subject to a postage and handling fee of \$16.50 including GST.

Disclaimer

All recommendations within this product catalogue are intended as suggestions only. Coerco does not take any responsibility for the suitability of any product for the use it is given. Product images are a close guide only and may not represent actual product.

Trademarks & Copyright

© Coerco 2021. This publication is copyrighted to Coerco.

Coerco

Delivery Information

Delivery Information

When purchasing a tank from Coerco, it is very important to you provide as much information about delivery as possible. Ideally, the Google Maps latitude and longitude coordinates are the best and most accurate way to tell us where you want your tank delivered.

Other options

Another option is a clearly defined instruction on a recent map or, as last preference, an address with well-outlined written drop-off instructions. A site contact phone number should also be provided.

Clearance

Please note that Coerco's truck and trailer combinations require a minimum clearance of **20 metres long, 3.5 metres wide and 5 metres high**.

Please be aware that it is the owner's responsibility to provide clear access to the site. Clear access on roads, lane ways, through gateways, crossings and trees is essential to ensure the safe delivery of your tank/s or other product/s without damage.

Large tanks can be delivered directly to a property where there is a properly made road and large turning area available. If a driver cannot reach the location, the tank/s will be left at the closest practical position.

General guide for placement of tanks on tank pads

Placement of tanks above 9,500ltr on a pad requires customer assistance. The following is a general guide to follow (please note that this is a GUIDE ONLY; safe work practices and lifting techniques are to be followed at all times and are the responsibility of the client to observe):

- Tanks between 9,500ltr and 13,500ltr need three persons (not including our driver) to handle and manoeuvre into place.
- Tanks between 22,500ltr and 32,000ltr need four persons (not including our driver) to handle and manoeuvre into place.

Tanks above 50,000ltr are too heavy to safely manoeuvre by hand and require either a machine (telehandler, forklift or bobcat) to assist. Alternatively, our logistics team will arrange for the delivery and placement to be conducted with a Hiab equipped truck. This will be discussed and determined during the delivery scheduling call with the customer. Please be reminded that it is the customer's responsibility to ensure there is adequate assistance and/or resources available to safely unload your tank.

If you have any questions regarding your delivery, please give us a call on 1800 646 277 and speak with one of our friendly team member to discuss!

Freight


Zone 1:

Any product or product combination 9,000L or greater includes free delivery to site. All other deliveries are Free Into Store to your local distributor.

*Within 800kms of Perth, WA.

Zone 2:

For locations outside of Zone 1, please contact us for a highly competitive quote for delivery as per your requirements. We have the largest distribution network throughout Western Australia and our own fleet of delivery vehicles with the capability to deliver throughout Australia and further afield. We deliver when it suits our customers, not according to anyone else's schedule.



Notes

[illegible]

[illegible]

Notes

[illegible]



coerco

Engineered Poly Products

**Get in touch today for a
no obligation chat and
free quotation.**



1800 646 277



info@coerco.com.au



coerco.com.au

Coerco Pty Ltd
ABN 54 145 356 565

Dalwallinu Office

9 Huggett Drive
Dalwallinu
Western Australia, 6609

PO BOX 319 Dalwallinu
Western Australia 6609

Malaga Office

23 Harris Road
Malaga
Western Australia, 6090

Freecall 1800 646 277
Phone 08 9661 0610
Fax 08 9661 1515
info@coerco.com.au
www.coerco.com.au

